

1/3" COLOR DSP CAMERA in MINI DOME



FEATURES

- ! Color camera with SONY 1/3" CCD sensor in mini Dome.
- ! Employs Digital Signal Processor (DSP) chip-set for image control.
- ! High sensitivity, low smear, high anti-blooming, and high S/N ratio.
- ! Support functions: Auto Electronic Shutter (AES), Auto Gain Control (AGC), Auto White Balance (AWB).
- ! Economical, furnished with mini lens.
- ! Built-in anti-aliasing and IR-cut optical filter.
- ! Furnished with DC power cable and video cable.
- ! DC type, low power consumption.

SPECIFICATIONS *(Note: Design and specifications are subject to change without prior notice.)*

Model No.	CMD 003
Image Pick-up Device	SONY 1/3" Normal-Resolution CCD sensor
Effective Picture Elements	NTSC:510*492, PAL: 500*582 (H*V)
Horizontal Resolution	380 Horizontal TV lines
Minimum Illumination	0.5 LUX @ F2.0
S/N Ratio	More than 48 dB
Auto Electronic Shutter	NTSC:1/60s~1/100,000s, PAL:1/50s~1/110,000s
Gamma Characteristic	0.45
Lens Furnished	Board lens f 3.6mm / F 2.0 (optional: f 2.5 / 4.3 / 6.0 / 8.0 / 12 / 16 mm)
Auto Gain Control	Yes
Auto White Balance	Yes
Synchronous System	Negative sync. Internal.
Video Output	1 Vp-p / 75 Ohms. BNC or F connector.
Dimensions	87.5 mm (E) × 56.5 mm (H)
Power Supply	DC 12V
Power Consumption	2.6 W
Operating Temp.	-10 to 50 (14 to 122)